

PharmLabs San Diego Certificate of Analysis



Sample Blood Diamond Cactus Jackfruit

Delta9 THC UI | THCa 3.02% | Total THC (THCa \* 0.877 + THC) 2.64% | Delta8 THC 4.04%

Sample ID SD241025-019 (101502) Matrix Edible
Tested for Chapo Extrax
Received Oct 25, 2024
Reported Nov 01, 2024
Unit Mass (g) 18.881 Num. of Servings 4 Serving Size (g) 4.72

Laboratory note: The estimated concentration of the unknown peak in this sample is 1.61%. Currently, PharmLabs laboratory can not confirm the unidentified peak in your chromatogram due to an interference (only with concentrated d8 products) from which we believe to be an isomer of d8-THC or d9-THC. The UI peak totals will not be included in the cannabinoid totals at the bottom of the potency section.

CANx - Cannabinoids Analysis

Analyzed Nov 01, 2024 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoid analysis is approximately +/- 8.06% at the 95% Confidence Level

Table with 7 columns: Analyte, LOD mg/g, LOQ mg/g, Result %, Result mg/g, Result mg/Serving, Result mg/Unit. Lists various cannabinoids and their concentrations.

HME - Heavy Metals Analysis

Analyzed Oct 28, 2024 | Instrument ICP/MSMS | Method SOP-005

Table with 5 columns: Analyte, LOD ug/g, LOQ ug/g, Result ug/g, Limit ug/g. Lists heavy metals like Arsenic, Cadmium, Mercury, and Lead.

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 01 Nov 2024 13:15:09 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

MIBIG - Microbial Analysis

Analyzed Oct 31, 2024 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	LOD	LOQ	Result CFU/g	Limit	Analyte	LOD	LOQ	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli			ND	ND per 1 gram	Salmonella spp.			ND	ND per 1 gram
Aspergillus fumigatus			ND	ND per 1 gram	Aspergillus flavus			ND	ND per 1 gram
Aspergillus niger			ND	ND per 1 gram	Aspergillus terreus			ND	ND per 1 gram

MTO - Mycotoxin Analysis

Analyzed Nov 01, 2024 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC  
 DEA license: RP0611043  
 ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
 Fri, 01 Nov 2024 13:15:09 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides Analysis

Analyzed Nov 01, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

CAPPELLE	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND	0	Carbofuran	0.01	0.02	ND	0
Dimethoate	0.01	0.02	ND	0	Etofenprox	0.02	0.1	ND	0
Fenoxycarb	0.01	0.02	ND	0	Thiachlorpid	0.01	0.02	ND	0
Daminozide	0.01	0.03	ND	0	Dichlorvos	0.02	0.07	ND	0
Imazalil	0.02	0.07	ND	0	Methiocarb	0.01	0.02	ND	0
Spiroxamine	0.01	0.02	ND	0	Coumaphos	0.01	0.02	ND	0
Fipronil	0.01	0.1	ND	0	Paclobutrazol	0.01	0.03	ND	0
Chlorpyrifos	0.01	0.04	ND	0	Ethoprophos (Prophos)	0.01	0.02	ND	0
Baygon (Propoxur)	0.01	0.02	ND	0	Chlordane	0.04	0.1	ND	0
Chlorfenapyr	0.03	0.1	ND	0	Methyl Parathion	0.02	0.1	ND	0
Mevinphos	0.03	0.08	ND	0	Abamectin	0.03	0.08	ND	0.3
Acephate	0.02	0.05	ND	5	Acetamiprid	0.01	0.05	ND	5
Azoxystrobin	0.01	0.02	ND	40	Bifenazate	0.01	0.05	ND	5
Bifenthrin	0.02	0.35	ND	0.5	Boscalid	0.01	0.03	ND	10
Carbaryl	0.01	0.02	ND	0.5	Chlorantranilprole	0.01	0.04	ND	40
Clofentezine	0.01	0.03	ND	0.5	Diazinon	0.01	0.02	ND	0.2
Dimethomorph	0.02	0.06	ND	20	Etoazole	0.01	0.05	ND	1.5
Fenpyroximate	0.02	0.1	ND	2	Fonicamid	0.01	0.02	ND	2
Fludioxonil	0.01	0.05	ND	30	Hexythiazox	0.01	0.03	ND	2
Imidacloprid	0.01	0.05	ND	3	Kresoxim-methyl	0.01	0.03	ND	1
Malathion	0.01	0.05	ND	5	Metalaxyl	0.01	0.02	ND	15
Methomyl	0.02	0.05	ND	0.1	Myclobutanil	0.02	0.07	ND	9
Naled	0.01	0.02	ND	0.5	Oxamyl	0.01	0.02	ND	0.2
Permethrin	0.01	0.02	ND	20	Phosmet	0.01	0.02	ND	0.2
Piperonyl Butoxide	0.02	0.06	ND	8	Propiconazole	0.03	0.08	ND	20
Prallethrin	0.02	0.05	ND	0.4	Pyrethrin	0.05	0.41	ND	1
Pyridaben	0.02	0.07	ND	3	Spinosad A	0.01	0.05	ND	3
Spinosad D	0.01	0.05	ND	3	Spiromesifen	0.02	0.06	ND	12
Spirotetramat	0.01	0.02	ND	13	Tebuconazole	0.01	0.02	ND	2
Thiamethoxam	0.01	0.02	ND	4.5	Trifloxystrobin	0.01	0.02	ND	30
Acequinocyl	0.02	0.09	ND	4	Captan	0.01	0.02	ND	5
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	1
Fenhexamid	0.02	0.07	ND	10	Spinetoram J.L	0.02	0.07	ND	3
Pentachloronitrobenzene	0.01	0.1	ND	0.2	Chlormequat Chloride	0.02	0.1	NT	0.2

RES - Residual Solvents Analysis

Analyzed Oct 29, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.08	0.4	ND	5000	Butane (But)	0.08	0.4	ND	5000
Methanol (Metha)	0.08	0.4	ND	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.08	0.4	ND	5000	Ethanol (Ethan)	0.08	0.4	ND	5000
Ethyl Ether (EthEt)	0.08	0.4	ND	5000	Acetone (Acet)	0.08	0.4	<LOQ	5000
Isopropanol (2-Pro)	0.08	0.4	<LOQ	5000	Acetonitrile (Acetonit)	0.08	0.4	ND	410
Methylene Chloride (MetCh)	0.08	0.4	ND	1	Hexane (Hex)	0.08	0.4	ND	290
Ethyl Acetate (EthAc)	0.08	0.4	<LOQ	5000	Chloroform (Clo)	0.08	0.4	ND	1
Benzene (Ben)	0.08	0.4	ND	1	1,2-Dichloroethane (12-Dich)	0.08	0.4	ND	1
Heptane (Hep)	0.08	0.4	ND	5000	Trichloroethylene (TriClEth)	0.08	0.4	ND	1
Toluene (Toluene)	0.08	0.4	ND	890	Xylenes (Xyl)	0.08	0.4	ND	2170

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Oct 25, 2024 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

MWA - Moisture Content & Water Activity Analysis

Analyzed Oct 26, 2024 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD %	LOQ %	Result	Limit	Analyte	LOD %	LOQ %	Result	Limit
Moisture (Moi)	0.0	0.0	10.7 % Mw	13 % Mw	Water Activity (wA)	0.03	0.03	0.68 a <sub>w</sub>	0.85 a <sub>w</sub>

MICx - Microbial X Analysis

Analyzed Oct 31, 2024 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/G	LOQ CFU/G	Result CFU/G
Total Yeast & Molds (TYM)			ND
Listeria (LIS)			ND
Gram Negative Bacteria (BTGN)			ND
Total Viable Aerobic Bacteria (TVAB)			ND

UJ Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC  
 DEA license: RP0611043  
 ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
 Fri, 01 Nov 2024 13:15:09 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.